

Dosing On Call

Dosing for infants and children from your healthcare professional

DOSE: Every 6-8 hours as needed. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.
If possible, use weight to dose; otherwise, use age.

mL = milliliter

Infants' MOTRIN® Concentrated Drops

Active ingredient: Ibuprofen (NSAID)* 50 mg (in each 1.25 mL)

*Nonsteroidal anti-inflammatory drug

Available in:  Berry  Dye-Free Berry



Use only as directed

WEIGHT	12-17 lbs	18-23 lbs
AGE	6-11 months	12-23 months
DOSE	1.25 mL 	1.875 mL 

mL = milliliter

Children's MOTRIN® Oral Suspension

Active ingredient: Ibuprofen (NSAID)* 100 mg (in each 5 mL)

*Nonsteroidal anti-inflammatory drug

Available in:  Orange Berry  Bubble Gum
 Berry  Dye-Free Berry



Use only as directed

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL 	7.5 mL 	10 mL 	12.5 mL 	15 mL 

IMPORTANT INSTRUCTIONS FOR PROPER USE

Today's date: _____

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

- Always read and follow the label on all MOTRIN® products.
- Repeat dose **every 6-8 hours** as needed.
- Do **NOT** give more than **4 doses in 24 hours**.
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

Be sure to keep TYLENOL® and MOTRIN® on hand for pain and fever *relief* that's **Always On Call**



Download FREE Kids' Wellness Tracker

Track your child's height, weight, BMI, vaccines, symptoms, and medicines, plus dosing information



App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. Standard download rates may apply.